

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 15 1980

Returned to applicant for correction

Corrected application filed

Map filed MAY 15 1980

The applicant Robert Bishop

P. O. Box 5859, of Las Vegas,  
Street and No. or P.O. Box No. City or Town

Nevada, 89102, hereby make<sup>s</sup> application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground  
Name of stream, lake or other source.

2. The amount of water applied for is 0.0023 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Restaurant & Bar (60 persons) commercial  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: N39°21'24"E, a distance of 3530.18 feet from the NE cor. of Sec. 11, Township 5 South, Range 60 East, and being within the NW¼ of the SE¼ of Section 11, Township 5 South, Range 60 East, M.D.M., Lincoln Cty., Nev.  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use A portion of the NW¼ of the SE¼ of Section 11, Township 5 South, Range 60 East, M.D.M., Lincoln County Nevada  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, 127 ft. deep, with 8" casing, 10 gage thickness & weight of 13#/lin. foot.  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$5000
10. Estimated time required to construct works.....1 year
11. Estimated time required to complete the application to beneficial use.....4 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This well was drilled in 1961 and was originally proposed for a service station by the former owner. The applicant wishes to comply with the requirements of the water resources and apply for a permit.

Applicant s/Robert Bishop

By s/Warren L. Jaubert  
4901 West Washington Ave.  
Las Vegas, Nevada, 89107

Compared ha/ja gk/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0023 cubic feet per second, but not to exceed 0.5 million gallons annually.

Actual construction work shall begin on or before.....July 9, 1981

Proof of commencement of work shall be filed before.....August 9, 1981

Work must be prosecuted with reasonable diligence and be completed on or before.....July 9, 1982

Proof of completion of work shall be filed before.....August 9, 1982

Application of water to beneficial use shall be made on or before.....July 9, 1983

Proof of the application of water to beneficial use shall be filed on or before.....August 9, 1983

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....FEB 23 1981

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No. .... Issued.....

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN  
State Engineer of Nevada, have hereunto set my hand and the seal of  
my office, this 9th day of JANUARY

A.D. 19 81

*William J. Newman*  
State Engineer

CANCELLED SEP 09 1982 BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT